

CRA Form

Adults and Children 6+

First name: _____ Last name: _____ Date: _____

Risk Factors <i>Circle one:</i>		
PATIENT USE	Saliva	
	Do you take medications daily? If so, how many?	NO YES (_____)
	Do you feel as though you have a dry mouth at any time of the day or night?	NO YES
	Diet	
	Do you drink liquids other than water more than 2 times daily between meals?	NO YES
	Do you snack daily between meals?	NO YES
CLINICIAN USE ONLY	Biofilm	
	Do you notice plaque build-up on your teeth between brushings?	NO YES
	CariScreen reading results:	LOW HIGH (0-1500) (1501-9999)
	Disease Indicators <i>Circle one:</i>	
	New/Progressing visible cavitations?	NO YES
	New/Progressing approximal radiographic radiolucencies?	NO YES
New/Active white spot lesions?	NO YES	
Is decay history a concern?	NO YES	

Risk Identification *Transfer information above to boxes below to determine risk.*

Healthy	+Risk Factors	+Disease Indicators
1 - Low Risk	2 - Moderate Risk	3 - High Risk
CDT Code D0601	CDT Code D0602	CDT Code D0603

Product Recommendation Guide

1 - Low Risk	2 - Moderate Risk	3 - High Risk
	 <p>Maintenance Kit</p>	 <p>Treatment Kit</p>
<p>Brush PRO Gel 5000 or Gel 1100</p> <ul style="list-style-type: none"> • Apply a thin ribbon and brush daily in place of your regular toothpaste until product is gone • Avoid eating or drinking for 30 minutes after use 	<p>Rinse 1st Maintenance Rinse</p> <ul style="list-style-type: none"> • Use daily until product is gone • Swish for 60 seconds with 10 mL <p>Brush 2nd PRO Gel 5000</p> <ul style="list-style-type: none"> • Apply a thin ribbon and brush daily in place of your regular toothpaste until product is gone • Avoid eating or drinking for 30 minutes after use 	<p>Rinse 1st Treatment Rinse</p> <ul style="list-style-type: none"> • Use daily until product is gone • Mix 5 mL of Solution A with 5 mL of Solution B in the provided mixing cup, swish for 60 seconds • To avoid staining, it is important to wait 60 minutes before eating or drinking. <p>Brush 2nd PRO Gel 5000</p> <ul style="list-style-type: none"> • Apply a thin ribbon and brush daily in place of your regular toothpaste until product is gone • Avoid eating or drinking for 30 minutes after use

Did you answer yes to any saliva or diet risk factors? Consider adding our moisturizing Spray to your routine!