CRA	<b>Form</b>	Adults and	Children 6+
Four-Ste	p Guide to	Cavity	Prevention

Name			
Date			



**Risk & Disease Discovery** Complete the section below by circling the most appropriate answer for each question.

	Risk Factors				
	SALIVA				
ISE	Do you take medications daily? If so, how many?	NO	YES ()		
	Do you feel as though you have a dry mouth at any time of the day or night?	NO	YES		
PATIENT USE	DIET				
PATIE	Do you drink liquids other than water more than 2 times daily between meals?	NO	YES		
	Do you snack daily between meals?	NO	YES		
	BIOFILM				
	Do you notice plaque build-up on your teeth between brushings?	NO	YES		
	CariScreen reading results:	<b>LOW</b> (0-1500)	<b>HIGH</b> (1501-9999)		
> Disease Indicators					
CLINICIAN USE ONLY	New/Progressing visible cavitations?	NO	YES		
	New/Progressing approximal radiographic radioluscencies?	NO	YES		
	New/Active white spot lesions?	NO	YES		
	Is decay history a concern?	NO	YES		



**Risk Identification** Determine risk based on answers above; one blue response indicates moderate risk, one red response indicates high risk.

Healthy	+ Risk Factors + Disease Indicator	
1 - Low Risk	2 - Moderate Risk	3 - High Risk
CDT Code D0601	CDT Code D0602	CDT Code D0603

Once risk level diagnosis has been made, refer to next page for treatment options and reassessment protocol.



# **CRA Form**

### Four-Step Guide to Cavity Prevention



### **Treatment Options**



### **Dry Mouth**

If dry mouth diagnosis has been made or if answered yes to dry mouth question, it is recommended to add moisturizing products such as Spray, Breath Mints, or Fluoride Free Gel for use throughout the day.



#### **Reassessment Protocol**

High Risk: Reassess every three months until moderate risk.

Moderate Risk: Reassess at every re-care appointment until low risk.

Low Risk: Reassess annually.

## **Four-Step Guide to Cavity Prevention**

